

Memory Mood



Une matière qui peut émouvoir une surface en même temps
élégante et essentielle. Une atmosphère équilibrée entre
émotions et souvenirs où le classique et le moderne se rencontrent
pour donner un fort caractère à des lieux de vie.

Eine Materie, die Gefühle hervorruft, eine Oberfläche,
die in einer zeitgemessenen Version an die Klassik erinnert.
Das Gleichgewicht zwischen Faszination und Erinnerung,
in dem Tradition und Moderne sich treffen und die Wohnräume
mit starken Akzenten charakterisieren.

Una sustancia que puede emocionar, una superficie a la vez elegante
y esencial. Un ánimo equilibrado entre emociones y recuerdos donde clásico
y moderno se unen para dar un carácter expresivo fuerte
para los lugares de vivienda.

Материя, способная пробудить эмоции, современная
элегантная поверхность .
Баланс между впечатлениями и воспоминаниями, где классика и
современность стали единым целым для того, чтобы дать мощный
выразительный характер вашему дому.

Memory Mood

Una materia capace di emozionare,
una superficie contemporanea elegante ed essenziale.

Un mood equilibrato tra suggestioni e memorie dove classico e moderno
si incontrano per dare un forte carattere espressivo ai luoghi dell'abitare.

A new matter able to recall emotions, a contemporary surface
elegant and essential.

A well balanced mood between memories and suggestions where
classic and modern items come together to give a strong expressive
character to the locations.




Free Design

spazi aperti e luminosi,
arredi insoliti e reinventati.

bright and open spaces,
unusual and reinvented furnishings.

Hazel 60,3x60,3





Hazel 60,3x60,3



Hazel 60,3x60,3



Hazel 60,3x60,3



Creamy 60,3x60,3



Creamy 60,3x60,3

8



Creamy 60,3x60,3



Creamy 60,3x60,3



Sheer 60,3x60,3

Sheer 60,3x60,3 • 20x20



Classic Style


toni caldi e armonici,
ambienti eleganti e sofisticati.

warm and harmonious shades,
elegant and sophisticated locations.

Dim 60,3x60,3



Dim 60,3x60,3





16

Dim 60,3x60,3



17



Dim 60,3x60,3



18

Modern Look

19

luce, volumi puri,
cura dei particolari
e progettualità accurata.

light, sheer volumes,
attention to details
and accurate planning.

Keen 60,3x60,3



Keen 60,3x60,3

Keen 60,3x60,3



Keen 60,3x60,3






Contemporary Living

accoglienza, innovazione, essenzialità,
culto del piacere.


hospitality, innovation, simplicity,
ritual of pleasure.



Kopper 45,2x45,2



Kopper 45,2x45,2



Kopper 45,2x45,2



Glamour Soul

ispirazione mediterranea,
recupero creativo, amore per il colore.

mediterranean inspiration,
creative recovery, color affection.

Sheer 45,2x45,2




Sheer 45,2x45,2



Sheer 45,2x45,2




Decor Mood 1 20x20 • Sheer 20x20 • Assi d'Alpe Stube 20x90,5




Decor Mood Mix 20x20



Decor Mood Mix 20x20



Decor Mood Mix 20x20



Decor Mood Mix 20x20

Hazel 60,3x60,3 Strutturato • Decor Mood 5 20x20

Endless Choices

infinite possibilità compositive
per nuovi itinerari creativi.

endless possibilities to compose
new creative ideas.



Decor Mood 1, 2, 3, e 5 20x20 • Hazel 20x20 • Copper 60x60



Decor Mood Mix 20x20 • Creamy 20x20



Decor Mood 8 e 9 20x20 • Sheer 20x20

Memory Mood

Creamy



60,3X60,3 • 24"X24"
± 10 MM.
COD. ITALIA A52
COD. ESTERO 226

Hazel



60,3X60,3 • 24"X24"
± 10 MM.
COD. ITALIA A52
COD. ESTERO 226

Copper



Sizes and Colours

Sheer



Dim



Keen



45,2X45,2 • 18"X18"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226



45,2X45,2 • 18"X18"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226



Decor Mood

1



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

2



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

3



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

4



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

5



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

6



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

7



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

8



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

9



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

Mix



20X20 • 8"X8"
± 9 MM.
COD. ITALIA A52
COD. ESTERO 226

9 SOGGETTI MIX

Trim pieces

BATTISCOPA
10X60,3 • 4"X24"
COD. ITALIA A08
COD. ESTERO 011

BATTISCOPA
10X60 RETT • 4"X24"
COD. ITALIA A08
COD. ESTERO 011

ANGOLO GRADONE
A COSTA RETTA
34X34 • RETT 13³/₈"X13³/₈"
± 10 MM.
COD. ITALIA B07
COD. ESTERO 095

GRADONE
A COSTA RETTA
30X34 RETT • 12"X13³/₈"
± 10 MM.
COD. ITALIA A35
COD. ESTERO 059

KIT BATTISCALE
10X45 • 4"X18"
KIT 2 PEZZI
COD. ITALIA A24
COD. ESTERO 034

GRADONE
32X33 • 12¹/₂"X13"
± 25 MM.
COD. ITALIA A35
COD. ESTERO 059

GRADONE
ANGOLARE
33X33 • 13"X13"
± 25 MM.
COD. ITALIA A35
COD. ESTERO 059

Pezzi Speciali

100% Eco-compatible

	100% REUSE OF UNFIRED TILES Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.
	100% RECYCLING OF THE INDUSTRIAL WASTE (FIRED TILES) All the waste-fired tiles generated by the process are recycled from the building industry as inert supports for road subsoils and foundations, reducing the use of new natural resources. 100% RECYCLING OF NON CERAMIC WASTE 100% of non ceramic waste is differentiated and recycled in other production cycles.
	100% RECYCLING OF WATER The water used in the production process is 100% recycled. The water demand is reduced by about 60% by this mean. No industrial water is discharged in the ecosystem.
	LOW EMISSIONS IN THE ATMOSPHERE Panaria complies strictly to Italian standards with a very small amount of gas emissions in the atmosphere. The high quality of the technology used keeps our emissions 10 times inferior the allowed limits (cfr Post-Kyoto Protocol negotiations on greenhouse gas emissions).
	HIGH REDUCTION OF METHANE CONSUMPTION (-25%) Methane consumption is highly reduced (-25%) by the use of up to date technologies and customized installations.
	SAFETY REQUIREMENTS: “ANTISLIP” PROPERTIES MEMORY MOOD has got “Antislip” properties (ASTM C1028: SCOF ≥ 0.60), in order to provide the highest safety and quality of life to those who both live and design the buildings.
	SAFETY REQUIREMENTS: NO FIRE REACTION Panaria tiles are totally flameproof, they withstand the destructive action of fire, they do not promote flame spread and, on contact with flames, do not produce either smoke or toxic fumes: therefore they are classified in Class A1fl and A1(no reaction to fire) from the EU Decision 96/60/CE.
	100% RECYCLABLE PANARIA PACKING MATERIAL Panaria packing material is 100% recyclable (carton boxes, plastic packaging materials, wooden pallets, straps, etc..).
	FAO PALLETS Panaria uses debarked pallets (DB) for its shipments, in accordance with the IPPC/FAO ISPM 15 standards. This is a further warranty for the forest safeguard of the importing Countries, dealing with PANARIA.



40% CERAMICA PANARIA
recycled ceramic content
[preconsumer material]



100% ECO COMPATIBLE
CERAMICA PANARIA
AND ITS COMMITMENT TO PROTECTING THE ENVIRONMENT













LEED CREDITS
the ladership in energy and environmental design

Packings and weights

DESCRIZIONE DESCRIPTION BESCHREIBUNG DESCRIPTION DESCRIPTION	FORMATI SIZES FORMATE FORMATS FORMATOS	PEZZI SCATOLA PIECES BOX STÜCK-KARTON PIÈCES BOÎTE PZAS. CAJA	PESO SCATOLA KG. WEIGHT BOX GEWICHT KARTON POIDS BOÎTE PESO CAJA KG	MQ. SCATOLA SQ. MT. BOX QM. KARTON M² BOÎTE M² CAJA	ML SCATOLA LN. MT. BOX LM KARTON ML BOÎTE ML CAJA	SCATOLE PALLET BOXES PALLET KARTONS PALETTE BOÎTES PALETTE CAJAS PALLET	PESO PALLET KG WEIGHT PALLET GEWICHT PALETTE POIDS PALETTE PESO PALLET KG.	MQ. PALLET SQ. MT. PALLET QM. PALETTE M² PALETTE M² PALLET
FONDO	60,3X60,3	4	32,5	1,454	-	32	1040	46,542
FONDO	60X60 RETT	4	31	1,440	-	32	992	46,8
FONDO STRUTTURATO	60,3X60,3	4	32,5	1,454	-	30	975	43,633
FONDO	45,2X45,2	8	33,9	1,634	-	52	1762,8	84,989
FONDO	20X20	30	22,2	1,20	-	45	999	54
DECOR MOOD	20X20	30	22,2	1,20	-	45	999	54
DECOR MOOD MIX	20X20	9	6,66	0,36	-	-	-	-
BATTISCOPIA	10X60,3	16	20	0,964	9,648	48	960	46,31
BATTISCOPIA	10X60 RETT	12	15,48	0,72	7,20	55	851,4	39,6
BATTISCOPIA SCALA KIT (2 PZ.)	10X45	5	1,7	0,085	-	-	-	-
GRADONE A COSTA RETTA	30X34	6	18	0,612	-	30	540	18,36
ANGOLO GRADONE A COSTA RETTA	34X34	2	6,6	0,231	-	48	316,8	11,098
GRADONE	32X33	2	11	0,211	-	92	1012	19,43
GRADONE ANGOLARE	33X33	2	11,4	0,218	-	92	1048,8	20,038

Imballi e Pesì

Technical Features Caratteristiche Tecniche

GRES A MASSA COLORATA EN 14411-G (BIA-UGL) • ANSI 137.1-UGL (UNGLAZED PORCELAIN TILES - P1 CLASS) • ISO13006-G (BIA-UGL)		NATURALE	STRUTTURATO	
	RESISTENZA ALLA SCIVOLOSITÀ SLIP RESISTANCE RUTSCHFESTIGKEIT RÉSISTANCE AU GLISSEMENT RESISTENCIA DEL RESBALÓN	DIN 51130	R10	≥ R11
		DIN 51097	≥ B (A+B)	C (A+B+C)
		BCR-TORTUS	> 0,40	> 0,50
		PENDULUM AS/NZS 4586	P3 (X)	P4 (W)
		PENDULUM ENV 12633	2	3
		PENDULUM BS 7976-2	≥ 26	≥ 36
	BOT 3000	≥ 0.42	≥ 0.62	
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE FLECKENBESTÄNDIGKEIT RÉSISTANCE AUX TACHES RESISTENCIAS A LAS MANCHAS	ISO 10545-14	5 RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT RESISTENTE	5 RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT RESISTENTE
	RESISTENZA ALL' ATTACCO CHIMICO CHEMICAL RESISTANCE CHEMISCHE BESTÄNDIGKEIT RÉSISTANCE CHIMIQUE RESISTENCIA A LOS PRODUCTOS QUIMICOS	ISO 10545-13	ULA, UHA RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT RESISTENTE	ULA, UHA RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT RESISTENTE
	RESISTENZA AL GELO FROST RESISTANCE FROSTBESTÄNDIGKEIT RÉSISTANCE AU GEL RESISTENCIA AL HIELO	ISO 10545-12	RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT RESISTENTE	RESISTENTE RESISTANT BESTÄNDIG RÉSISTANT RESISTENTE
	MODERATA VARIAZIONE MODERATE VARIATION		V3	V3

Memory Mood

June 2014

Concept:
MKTG Panaria

Design:
Silvia Stanzani

Photo:
Punto Immagine

Print:
Grafiche dell'Artiere



Via Panaria Bassa, 22/a 41034 Finale Emilia Modena - Italy
Tel. +39 0535 95111 Fax +39 0535 90503
www.panaria.it info@panaria.it



